WRITTEN ANSWERS TO QUESTIONS

Improvement in Telephones Services ur Calcutta

*125. PROF. SOURENDRA BHATTACHARJEE: Will the Minister of COMMUNICATIONS be pleased to state:

(a) whether it is a fact that the Calcutta Telephones have been denied an equal percentage in the distribution of electronic exchanges *vis-a-vis* other metropolitan citita during the seventh Five Year Plan period;

(b) whether as a result thereof, there has been little improvement in the services of telephones to subscribers in Calcutta and

(c) the details of new electronic exchanges and RLUs provided during the same period to Bombay, Calcutta, Delhi and Madras?

THE MINISTER OF STATE (INDEPENDENT CHARGE) OF THE MINISTRY OF COMMUNICATIONS (SHRI RAJESH PILOT): (a) No, Sir,

(b) Does not arise.

(c) Given in the Statement

Statement

Details of New Electronic Exchanges and Remote Line Units (RL Us) commissioned during the 1th Plan period in Four Metro Cities.

	Delhi	Bombay	Calcutta	Madras
Gross capacity addition of electronic exchanges	2,83,500	2,46,764	90,000	60,400
2. Waiting list as on 1-4-85	1,31,862	1,66,153	25,550	33,242
Electronic capacity added as percentage of waiting list	216%	148%	352%	181%

जोधपुर में स्ट्राउजर टेलीफोन एक्सचेंज

*126 श्री भंवर लाल पंवार : क्या संचार मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या यह सच है कि जोधपुर शहर में स्थापित स्ट्राउजर टेलीफोन एक्सचेंज अपनी जीवन अवधि समाप्त कर चुका है, जिसके कारण उपभोक्ताओं को बहुत कठिनाई उठानी पड़ती है ; और

(ख) यदि हां, तो क्या सरकार टेलीफोन उपभोक्ताओं की सहूलियत के लिये वहां एक अतिरिक्त इलैक्ट्रोनिक एक्सचेंज लगाने का विचार रखती है ?

संचार मंत्रालय के राज्य मंत्री (स्वतंत्र प्रभार) (श्री राजेश पायलट) : (क) जी नहीं । जोधपुर में कोई स्ट्रोजर टेलीफोन एक्सचेंज कार्य नहीं कर रहा है ।

(ख) जोधपुर में क्रमश: 5000, 2000 तथा 1500 लाइनों की क्षमता के तीन इलैक्ट्रानिक एक्सचेंज कार्य कर रहे हैं । इसके अतिरिक्त, 1991–92 के दौरान निम्नलिखित इलैक्ट्रानिक दूरस्थ लाइन यूनिटों (आर०एल०यू०) का 1500 लाइनों द्वारा विस्तार किये जाने की योजना है।

(i) जोधपुर आर०एल०यू०–1000 लाइनें

(ii) मंजी का हट्टा – 500 लाइनें

1500 लाइनें